1/36 FIG. 1A




FIG. 1B






FIG. 2





FIG. 3



3/36

FIG. 4





FIG. 5



4/36 FIG. 6A





FIG. 6B



5/36

FIG. 7





FIG. 8



6/36 FIG. 9A






FIG. 9B



<sup>7/36</sup> FIG. 10



8/36 FIG. 11A







FIG. 11B



9/36 FIG. 12



10/36 FIG. 13



11/36 FIG. 14A





FIG. 14B



12/36

FIG. 15A




FIG. 15B




FIG. 16




FIG. 17





FIG. 18



14/36

FIG. 19A





FIG. 19B



15/36 FIG. 20A





FIG. 20B



16/36

FIG. 21





FIG. 22



17/36 FIG. 23A




FIG. 23B




FIG. 24




FIG. 25A




FIG. 25B




FIG. 26




FIG. 27





FIG. 28



# FIG. 29A





FIG. 29B



22/36

FIG. 30A





FIG. 30B



## FIG. 31A





FIG. 31B



24/36

FIG. 32A





FIG. 32B



25/36

FIG. 33A





FIG. 33B



<sup>26/36</sup> FIG. 34A





FIG. 34B

2
3
2
115
116
114
104
103

FIG. 34C



27/36

FIG. 35A




FIG. 35B






FIG. 36



<sup>29/36</sup> FIG. 37



30/36

FIG. 38A





FIG. 38B



31/36 FIG. 39A




FIG. 39B

2


3

2

104

129

FIG. 40A







FIG. 41



<sup>34/36</sup> FIG. 42A





FIG. 42B



### Reference Numerals in the Drawings

- 1, 12, 13 Flexible substrate
- 2 Comb-like electrode
- 3 PTC resistor
- 4, 16, 17 Flexible cover material
- 5, 7, 9 Impregnation controlling non-woven fabric
- 6 Heat resistant fiber non-woven fabric
- 8、19 Hot melting film
- 10 Spun bond
- 11 Spun lace
- 14 Resin foam
- 15 Resin net
- 18 Polyester non-woven fabric
- 20 Concave/convex shape
- 21 Stitched portion
- 32, 37, 51A Opening
- 36 Orthogonal fiber non-woven fabric
- 2A, 38 Main electrode
- 2B, 2C, 39 Branch electrode
- 40 Conductive wire
- 41 Moisture absorber
- 51, 56 Flexible mesh substrate
- 52 Flexible support substrate
- 57 Expansion and contraction control member
- 58 Leather
- 59 Through hole
- 66 Terminal portion
- 67, 71 Thin conductive material
- 68 Conductive adhesive
- 69 Solder
- 69A Cream solder pattern
- 70 Lead wire
- 72 Through hole
- 82 Flexible barrier material
- 86 Elongation control member
- 87 Joining member

88	Knit mesh
89	Cushioning substrate
91	Flexible fiber substrate
93	Electrode
102	Flexible substrate
103,	115, 117, 118, 129 Fiber substrate
104	Film
113	Concave/convex portion
114	Hot melting film
123	Fiber material
124	PTC resistor fiber body
125	Mesh-like fiber substrate
142	Adhesive resin
150	Blower
151	Moisture removing portion
153	Blowing channel
154	Seat main body
155	Pad portion
156	Surface skin
157	Blowing hole
158	Flexible PTC heating element
200	Substrate
201, 202 Comb-like electrode	
203	PTC resistor
204	cover material